

Amendments to the Claims:

Claims 1 - 16 (Cancelled)

- 1 17. **(Original)** A tool for picking up a frame to which a plurality of drivers for a surgical
2 stapling cartridge is mounted, the tool comprising:
- 3 (a) a prime mover;
- 4 (b) a first finger drivingly linked to the prime mover, the first finger having a first
5 pair of transverse planar panels formed in an inwardly facing surface of the first
6 finger, the first pair of transverse planar panels adapted to seat against
7 corresponding surfaces on the driver frame; and
- 8 (b) a second finger connected to the prime mover, the second finger having a
9 second pair of transverse planar panels formed in an inwardly facing surface of
10 the second finger that is substantially opposed to the inwardly facing surface of
11 the first finger, the second pair of transverse planar panels adapted to seat against
12 corresponding surfaces of the driver frame.
- 1 18. **(Original)** The tool in accordance with claim 17, further comprising a first pair of
2 substantially parallel planar panels intersecting the first pair of transverse planar panels
3 near an end of the first pair of transverse planar panels.

1 19. **(Original)** The tool in accordance with claim 18, further comprising a second pair of
2 substantially parallel planar panels intersecting the second pair of transverse planar
3 panels near an end of the second pair of transverse planar panels.

1 20. **(Original)** The tool in accordance with claim 19, wherein the prime mover is an
2 electromechanical transducer.

1 21. **(Original)** The tool in accordance with claim 19, further comprising the frame to
2 which the plurality of drivers is mounted, said frame being clampingly gripped between
3 the first and second fingers.

1 22. **(Original)** A tool for picking up a frame to which a plurality of swing tabs for a
2 surgical stapling cartridge is mounted, the tool comprising:

3 (a) a prime mover;

4 (b) a first finger drivingly linked to the prime mover, the first finger having a first
5 pair of transverse planar panels formed in an inwardly facing surface of the first
6 finger, the first pair of transverse planar panels adapted to seat against
7 corresponding surfaces on the swing tab frame; and

8 (b) a second finger connected to the prime mover, the second finger having a
9 second pair and a third pair of transverse planar panels formed in an inwardly
10 facing surface of the second finger that is substantially opposed to the inwardly

11 facing surface of the first finger, the second and third pairs of transverse planar
12 panels adapted to seat against corresponding surfaces of the swing tab frame.

1 23. **(Original)** The tool in accordance with claim 22, further comprising a fourth pair of
2 transverse planar panels formed in an inwardly facing surface of the first finger, the
3 fourth pair of transverse planar panels adapted to seat against corresponding surfaces on
4 the swing tab frame.

1 24. **(Original)** The tool in accordance with claim 23, further comprising a first pair of
2 substantially parallel planar panels intersecting the first and fourth pairs of transverse
3 planar panels near an end of the first and fourth pair of transverse planar panels.

1 25. **(Original)** The tool in accordance with claim 23, further comprising a second pair of
2 substantially parallel planar panels intersecting the second and third pairs of transverse
3 planar panels near an end of the second and third pairs of transverse planar panels.

1 26. **(Original)** The tool in accordance with claim 25, wherein the prime mover is an
2 electromechanical transducer.

1 27. **(Original)** The tool in accordance with claim 25, further comprising the frame to
2 which the plurality of swing tabs is mounted, said frame being clampingly gripped
3 between the first and second fingers.

1 28. **(Original)** The tool in accordance with claim 25, wherein the first and second fingers
2 are forked to form legs, each of which has one of said pairs of transverse panels formed
3 therein.

Claims 29 - 34 (Cancelled)